

ImperialProductions®

Ships World Wide

^{*} All specifications subject to change without notice, Final products & Measurements may vary from this brochure




Name	
Contact:	ImperialProductions®
Phone #	
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Primed # of Units for Resid # of FireRated Units for Comm	ential
GRG-NeoPlasterTM A new age plaster, Class A f	fire rated (Interior)
ResinMold® A Synaptic polymer for Curves & Ard See Next Page	ches, Class A fire rated
VALUE ADDED FINISHES Factory Paint Color Code	Finish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPNP4004 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**








Please Provide Inside Crown Measurements

D= Distance to Side from C Number of Arches:

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

-----|

Length of Curve

Concave Wall

A = Depth= ____

Length of Curve

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

5) ORIENTATION circle one



