


Arch-Polymer Balustrade System: White Primed, Insect & Rot Resistant Steel Re-enforced




IPB7110 round
\$19
 10" High (25.4cm)
 1-1/4" dia (3.18cm)
 5-1/4" (13.34cm) o/c
Top Rail:
Bottom Rail:




IPB7310
\$41
 10" High (25.4cm)
 Base 3-1/4", 6" o/c
 6" on center (15.24 cm)
Top Rail:
Bottom Rail:




IPB7714
\$59
 14" High (35.56cm)
 Base 4-1/8" (10.49cm)
 5-7/8" o/c (14.94cm)
Top Rail:
Bottom Rail:



IPB7414
\$ 64
 14" High (35.56cm)
 4-3/8" (11.13cm)
 6-5/16" (16.03cm) o/c
Top Rail:
Bottom Rail:




IPB7110-14
\$ 20
 14" High (35.56cm)
 1-1/4" (3.18cm)
 diameter
 5-1/4" o/c (13.34cm)
Top Rail:
Bottom Rail:




IPB7115
\$75
 15" High (38.1cm)
 Base 5-1/4" (38.1cm)
 6-1/4" (15.88cm) o/c
Top Rail: IPBR7100
 IPBR7200, IPBR7400
Bottom Rail: IPBR7110
 IPBR7210,7310,7410





IPB7016
\$60
 16" High (40.64cm)
 Base 4-1/2" (11.43cm)
 6-1/8" (15.88cm) o/c
Top Rail: IPBR7400
 IPBR7400, 7100, 7200
Bottom Rail: IPBR7410
 IPBR7110,7120,7210




IPB7316
\$ 86
 16" High (40.64cm)
 Base 4-5/16" (10.95cm)
 6-7/16" (16.36cm) o/c
Top Rail:
Bottom Rail:




IPB7218
\$44
 18" High (47.72cm)
 Base 2-1/4" (5.72cm)
 5-1/2" (3.97cm) o/c
Top Rail: IPBR7500,7600
 IPBR7400, IPBR7700
Bottom Rail: IPBR7510,
 7610, 7620, 7410, 7710




IPB7019
\$96
 19" High (48.26cm)
 Base 5-3/16" (13.18cm)
 6-7/8" (17.48cm) o/c
Top Rail: IPBR7100
 IPBR7200, IPBR7400
Bottom Rail: IPBR7110
 IPBR7120,7210,7310




IPB7120
\$88
 19-7/8" High (50.5cm)
 4-1/2" (11.43cm)
 6" (15.24cm) o/c
Top Rail: IPBR7400
 IPBR7100,7200,7500
Bottom Rail: IPBR7410
 IPBR7110,7120,7210




IPB7020
\$113
 20" high (50.8cm)
 6-3/4" (17.15cm) Dia
 Non Structural
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR110
 IPBR7120,IPBR7310



IPB7320
\$125
 20" High (50.8cm)
 2-1/2" wide (6.35cm)
 6-3/4" (17.15cm) o/c
Top Rail: IPBR7500
 IPBR7400, IPBR7600
Bottom Rail: IPBR7510
 IPBR7410,7610,7620




IPB7420 square
\$47
 20" High (50.8cm)
 Sq 1-3/4" (4.45cm)
 5-3/4" (14.61cm) o/c
Top Rail: IPBR7600
 IPBR7500, IPBR7700
Bottom Rail: IPBR7610
 IPBR7620,7510,7710




IPB7220
\$48
 20-1/4" High (51.44cm)
 Base 2-3/4" (6.99cm)
 5-9/16" (14.12cm) o/c
Top Rail: IPBR7500
 IPBR7600, IPBR7400
Bottom Rail: IPBR7510
 IPBR7620,7410,7610



IPB7000-21
\$ 49
 21-3/16" (53.92cm) high
 Base 2-3/4" (6.99cm)
 5-7/16" (5.56cm) o/c
Top Rail:
Bottom Rail:



IPB7022
\$96
 22" High (55.88cm)
 Base 5-1/4" (13.34cm)
 6-3/4" (17.15 cm) o/c
Top Rail: IPBR7400
 IPBR7100, IPBR7200
Bottom Rail: IPBR7310
 IPBR741,7110,7120



IPB7122
\$102
 22" High (55.88cm)
 Base 6" (15.24cm)
 6-5/8" (16.84cm) o/c
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120,7210,7310

Arch-Polymer - double Primed ready-to-paint, Lite weight, will not crack
 Steel Reenforced, Interior & Exterior use, Optional interior Class-1A Fire rated

6" Top & Bottom Extensions Available on all Balusters

* All prices & specifications subject to change without notice, Final Product may vary from this brochure, Refer to local building codes for heights see Page A1 for Terms & Conditions




www.imperialproduction.com
 Imperial Productions & Distribution Inc. email: sales@imperialproduction.com
 1-800-399-7585, Fax 416-264-6098 copyright 2007 All Rights Reserved

Chapter III RAILINGS
Page 3-11 Spring-08


Arch-Polymer Balustrade System: White Primed, Insect & Rot Resistant



IPB7023 decorative
\$119
 22-5/8" High (57.48cm)
 Top: 6-3/4" (17.15cm)
 Bottom: 6-5/8" (16.84cm)
 Non-Structural
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120,7310



IPB7221
\$ 64
 22-3/4" High (57.79cm)
 Square 3" (7.62cm)
 7" (17.78cm) o/c
Top Rail:
Bottom Rail:



IPB7123
\$111
 23" High (58.42cm)
 Base 5" (12.7cm)
 7" (17.78cm) o/c
Top Rail: IPBR7400
 IPBR7100,IPBR7200
Bottom Rail: IPBR7410
 IPBR7110,7120,7210



IPB7124
\$53
 24" High (60.96cm)
 Base 3" (7.62cm)
 6" (15.24cm) o/c
Top Rail: IPBR7500
 IPBR7600,IPBR7400
Bottom Rail: IPBR7510
 IPBR7620,7310,7410




IPB7024
\$117
 24" High (60.96cm)
 6-7/8" (17.48cm)
 8-1/2" (21.59cm) o/c
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120,7310




IPB7224
\$53
 24" High (60.96cm)
 Base 2-1/2" (6.35cm)
 5-3/8" (13.67cm) o/c
Top Rail: IPBR7500
 IPBR7600,7400,7700
Bottom Rail: IPBR7510
 IPBR7620,7410,7610




IPB7424
\$54
 24" High (60.96cm)
 Square 1-3/4" (60.96cm)
 5-3/4" (14.61 o/c)
Top Rail: IPBR7600
 IPBR7500,7700
Bottom Rail: IPBR7610
 IPBR7620,7510,7710



IPB7624
\$107
 24-1/4" High (61.60cm)
 Base 6" (15.24cm)
 7" (17.78cm o/c)
Top Rail: IPBR7400
 IPBR7200,IPBR7100
Bottom Rail: IPBR7410
 IPBR7110,7120,7210




IPB7025
\$115
 24-3/8" High (57.48cm)
 Base 6-1/2" (16.51cm)
 7-5/8" (19.38cm) o/c
Top Rail: IPBR7100,
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120,IPBR7310



IPB7225
\$118
 24-3/4" (62.87cm) high
 Base 4-3/8" (11.13cm)
 6-5/8" o/c (16.84 o/c)
 Top Rail: IPBR7400
 IPBR7100,7200,7500
 Bottom Rail: IPBR7410
 IPBR7110,7120,7210




IPB7137-25
\$ 67
 24-3/4" High (62.87cm)
 Base 2-7/8" (7.32cm)
 6-3/4" (17.15cm) o/c
Top Rail:
Bottom Rail:




IPB7026
\$111
 25-3/8" (64.47cm) high
 5-1/4" 13.34cm diameter
 8" (20.32cm) o/c
Top Rail: IPBR7100
 IPBR7200,IPBR7400
Bottom Rail: IPBR7110
 IPBR7120, 7210, 7310



IPB7127
\$68
 26-7/8" (68.28cm) High
 Bot 3" (7.62cm) diameter
 6-5/16" (15.14cm) o/c
Top Rail: IPBR7500
 IPBR7600,IPBR7400
Bottom Rail: IPBR7510
 IPBR7620,7310,7410




IPB7027
\$103
 27" High (68.58cm)
 Base 6" (15.24cm)
 6" (15.24cm) o/c
 Top Rail: IPBR7100
 IPBR7200
 Bottom Rail: IPBR7110
 IPBR7120,7210,7310




IPB7028
\$49
 27-7/8" High (70.82cm)
 Base 2-1/2" (6.35cm)
 5-1/2" (13.97cm) o/c
Top Rail: IPBR7500
 IPBR7600,7400,7700
Bottom Rail: IPBR7510
 IPBR7620,7410,7610



IPB7328
\$ 116
 27-7/8" High (70.82cm)
 Base 5-1/4" (13.34cm)
 6-3/4" (17.15cm) o/c
Top Rail: IPBR7100
 IPBR7200, 7400
Bottom Rail: IPBR7110
 IPBR7120, 7210, 7310



IPB7428
\$50
 28" High (71.12cm)
 Square 1-3/4" (4.45cm)
 5-3/4" (14.61cm) o/c
Top Rail: IPBR7600
 IPBR7500,IPBR7700
Bottom Rail: IPBR7610
 IPBR7620,7510,7610



IPB7228
\$107
 28" High (71.12cm)
 Base 4-1/4" (10.8cm)
 6-1/4" (15.88cm) o/c
 Top Rail: IPBR7400
 IPBR7100,7200,7500
 Bottom Rail: IPBR7410
 IPBR7110,7110,7210



IPB7728
\$128
 28" High (71.12cm)
 Base 7-3/8" (18.75cm)
 7-11/16" (19.53cm) o/c
 Top Rail: IPBR7100
 IPBR7200
 Bottom Rail: IPBR7110
 IPBR7120,IPBR7310



IPB7128
\$102
 28" High (71.12cm)
 Base 5" (12.7cm)
 6-1/2" (16.51cm)
Top Rail: IPBR7100
 IPBR7200,7400,7700
Bottom Rail: IPBR7110
 IPBR7120,7210,7310

Arch-Polymer - double Primed ready-to-paint, Lite weight, will not crack
 Steel Reenforced, Interior & Exterior use, Optional interior Class-1A Fire rated

6" Top & Bottom Extensions
 Available on all Balusters

* All specifications subject to change without notice, Final Product may vary from this brochure, Refer to local building codes for height requirements




www.imperialproduction.com

Imperial Productions & Distribution Inc. email: sales@imperialproduction.com
 1-800-399-7585, Fax 416-264-6098 copyright 2007 All Rights Reserved

see Page A1 for Terms & Conditions

Chapter III RAILINGS
Page 3-12 Spring-08

Arch-Polymer Balustrade System: White Primed, Insect & Rot Resistant



IPB7001-28 Square
\$ 49
 28" High (71.12cm)
 Square 2" (5.08cm)
 6" (15.24cm) o/c
Top Rail:
Bottom Rail:



IPB7022-3
\$ 121
 28" High (71.12cm)
 Square 5-1/4" (13.34cm)
 6-3/4" (17.15cm) o/c
Top Rail:
Bottom Rail:



IPB7030
\$151
 29-5/8" High (75.26cm)
 Base 5" (12.7cm)
 6-7/8" (17.48cm) o/c
Top Rail: IPBR7400
 IPBR7200,7100
Bottom Rail: IPBR7110
 7120,7210,7310, 7410



IPB7430
\$103
 29-5/8" (75.26cm) high
 Base 4-3/8" (11.13cm)
 6-9/16" (16.66cm) o/c
Top Rail: IPBR7400
 IPBR7100,7200,7500
Bottom Rail: IPBR7410
 IPBR7110,7120,7210



IPB7728-2T
\$128
 30" High (76.2cm)
 Base 7-3/8" (18.75cm)
 7-11/16" (19.53cm) o/c
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120,7310



IPB7130
\$69
 30" (76.2 cm) High
 Base: 2-1/2" (6.35cm)
 4-3/4" (12.07cm) o/c
Top Rail: IPBR7500
 IPBR7400,7600,7700
Bottom Rail: IPBR7510
 IPBR7410,7610,7620



IPB7230
\$125
 30" High (76.20cm)
 Base 5-1/4" (13.34cm)
 6-3/4" (17.15cm) o/c
Top Rail: IPBR7100
 IPBR7200,IPBR7400
Bottom Rail: IPBR7110
 IPBR7120,7210,7310



IPB7310-30
\$ 71
 30" High (76.2cm)
 Base 3-1/4" (8.26cm)
 6" (15.24cm) o/c
Top Rail:
Bottom Rail:



IPB7530
\$ 98
 30" High (76.2cm)
 Base 5" (12.7cm)
 5-1/2" (13.97cm) o/c
Top Rail:
Bottom Rail:



IPB7110-30
\$ 42
 30" High (76.2cm)
 1-1/4" (3.18cm) diameter
 5-1/4" (13.34cm) o/c
Top Rail:
Bottom Rail:



IPB7031
\$95
 30-5/8" High (77.8cm)
 Base 5-1/4" (13.34cm)
 7" (13.34cm) o/c
Top Rail: IPBR7100
 IPBR7200,IPBR7400
Bottom Rail: IPBR7110
 IPBR7120,7210,7310



IPB7028-31
\$ 74
 30-7/8" (78.44cm) high
 Base 2-1/2" (6.35cm)
 5-1/2" (13.97cm) o/c
Top Rail:
Bottom Rail:



IPB7131
\$68
 30-3/4" (78.11cm) high
 3" (7.62cm)
 6-3/8" (7.62cm) o/c
Top Rail: IPBR7500
 IPBR7600,7400
Bottom Rail: IPBR7510
 IPBR7620,7310,7410



IPB7231
\$68
 30-3/4" High (78.11cm)
 3"x 3", 7" o/c
 7.62 x 7.62cm , 16.8cm o/c
Top Rail: IPBR7500
 IPBR7600,IPBR7400
Bottom Rail: IPBR7510
 IPBR7620,7310,7410



IPB7032
\$110
 31-3/4" High (80.65cm)
 Base 6-3/4" (17.15cm)
 9-3/8" (23.83cm) o/c
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120,7310



IPB7332
\$114
 31-7/8" High (80.98cm)
 Base 4-7/8" (12.4cm)
 6-7/8" (17.48cm) o/c
Top Rail: IPBR7400
 IPBR7100, IPBR7200
Bottom Rail: IPBR7310
 IPBR7410,7110,7120



IPB7132
\$122
 32" High (81.28cm)
 Base 7" (17.78cm)
 7-1/8" (18.11cm) o/c
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120,IPBR7310



IPB7232
\$128
 32" High (81.28cm)
 Base 7-1/16" (17.93cm)
 7-1/8" (18.11cm o/c)
Top Rail: IPBR7100
Bottom Rail: IPBR7110
 IPBR7120, IPBR7310



IPB7532
\$56
 32" High (81.28 cm)
 Base 2-1/2" (6.35cm)
 5-3/8" (13.67cm) o/c
Top Rail: IPBR7500
 IPBR7600,7400,7700
Bottom Rail: IPBR7510
 IPBR7620,7410,7710



IPB7432
\$60
 32" High (81.28cm)
 Square 1-3/4" (4.45cm)
 5-3/4" (14.61cm) o/c
Top Rail: IPBR7600
 IPBR7500,IPBR7500
Bottom Rail: IPBR7410
 IPBR7110,7120,7210

Arch-Polymer - double Primed ready-to-paint, Lite weight, will not crack
 Steel Reinforced, Interior & Exterior use, Optional interior Class-1A Fire rated

6" Top & Bottom Extensions
Available on all Balusters

* All specifications subject to change without notice, Final Product may vary from this brochure. Refer to local building codes for height requirements

see Page A1 for Terms & Conditions



www.imperialproduction.com


Imperial Productions & Distribution Inc. email: sales@imperialproduction.com

1-800-399-7585, Fax 416-264-6098

copyright 2007 All Rights Reserved

Chapter III RAILINGS
Page 3-13 Spring-08


Arch-Polymer Balustrade System: White Primed, Insect & Rot Resistant



IPB7110-32
\$44
 32" High (81.28cm)
 1-1/4" (3.18cm) Diameter
 5-1/4" (13.34cm) o/c
Top Rail:
Bottom Rail:




IPB7034
\$ 147
 33-1/2" (85.09cm)
 Base 7-1/4" (18.09cm)
 7-3/4" (19.69cm) o/c
Top Rail:
Bottom Rail:



IPB7134
\$64
 34" (86.36cm)
 Base 2-1/2" (6.35cm)
 4-13/16" (12.36cm)
Top Rail: IPBR7500
 IPBR7400,7600,7700
Bottom Rail: IPBR7510
 IPBR7410,7610,7620



IPB7137-35
\$ 142
 34-7/8" High (88.6cm)
 Base 4-1/4" (10.8cm)
 6-1/4" (15.88cm) o/c
Top Rail:
Bottom Rail:




IPB7035
\$134
 35" High (88.90cm)
 Base 5-1/4" (13.34cm)
 6-3/4" (17.15cm) o/c
Top Rail: IPBR7100
 IPBR7200,7400
Bottom Rail: IPBR7110
 IPBR7120,7210,7310



IPB7135
\$130
 35" High (88.9cm)
 Base 5-1/4" (88.9cm)
 5-7/8" (14.94cm) o/c
Top Rail: IPBR7100
 IPBR7200,7400
Bottom Rail: IPBR7110
 IPBR7120,7210,7310



IPB7022-35
\$135
 35" (88.9cm) high
 Base 5-3/16" (88.9cm)
 5-7/8" (13.18cm) o/c
Top Rail:
Bottom Rail:




IPB7036
\$124
 35-3/4" High (90.81cm)
 Base 6-3/4" (13.67cm)
 9-3/8" (23.83cm) o/c
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120, IPBR7310




IPB7128-4
\$171
 36" (91.44cm)
 Base 7-1/4" (18.09cm)
 5" (12.7cm) o/c
Top Rail:
Bottom Rail:




IPB7224-6
\$73
 36" (91.44cm) high
 Base 2-1/2" (6.35cm)
 5-3/8" (13.67cm) o/c
Top Rail: IPBR7500
 IPBR7600,7400,7700
Bottom Rail: IPBR7510
 IPBR7410,7610,7620




IPB7124-6
\$103
 36" (91.44cm) high
 Base 3" (7.62cm)
 6" (15.24cm) o/c
Top Rail: IPBR7500
 IPBR7600,IPBR7400
Bottom Rail: IPBR7510
 IPBR7620,7310,7410



IPB7137
\$148
 36-1/2" (92.71cm) high
 Base 4-1/4" (10.8cm)
 6-1/4" (15.88cm) o/c
Top Rail: IPBR7400
 IPBR7100, IPBR7200,7500
Bottom Rail: IPBR7410
 IPBR7110, IPBR7120,7210



IPB7037
\$144
 36-5/8" (93.04cm) high
 Base 7-1/2" (19.05cm)
Non-Structural
Top Rail: IPBR7100
 IPBR7200
Bottom Rail: IPBR7110
 IPBR7120, IPBR7310



IPB7225-6
\$128
 36-3/4" (93.35cm) high
 Base 4-3/8" (11.13cm)
 6-5/8" (16.84cm) o/c
Top Rail: IPBR7400
 IPBR7100,7200,7500
Bottom Rail: IPBR7410
 IPBR7110,7120,7210




IPB7728-5
\$146
 37-1/4" (94.62cm) high
 Base 7-3/8" (18.75cm)
 7-11/16" (19.53cm) o/c
Top Rail:
Bottom Rail:




IPB7038
\$76
 38" (96.52cm) high
 Base 2-1/2" (6.35cm)
 5-3/8" (13.67cm) o/c
Top Rail: IPBR7500
 IPBR7600
Bottom Rail: IPBR7510
 IPBR7610, IPBR7620




IPB7438 Square
\$50
 38" High (96.52cm)
 Square 1-3/4" (4.45cm)
 5-3/4" (14.61cm) o/c
Top Rail: IPBR7600
 IPBR7500,IPBR7700
Bottom Rail: IPBR7610
 IPBR7620, IPBR7510,7710



IPB7738
\$187
 38-1/4" (97.16cm) high
 Base 8-3/8" (21.29cm)
 16-7/16" (41.76cm) o/c
Top Rail:
Bottom Rail:



IPB7228-6
\$116
 40" (101.6cm) high
 Base 4-1/4" (10.8cm)
 6-1/4" (15.88cm) o/c
Top Rail:
Bottom Rail:



IPB7040-6
\$119
 40-3/8" (102.57cm) high
 Base 4-7/8" (12.4cm)
 5-3/4" (14.61cm) o/c
Top Rail: IPBR7100
 IPBR7200, IPBR7400
Bottom Rail: IPBR7110
 IPBR7120, IPBR7210,7310

Arch-Polymer - double Primed ready-to-paint, Lite weight, will not crack
 Steel Reinforced, Interior & Exterior use, Optional interior Class-1A Fire rated

6" Top & Bottom Extensions Available on all Balusters

* All specifications subject to change without notice, Final Product may vary from this brochure, Refer to local building codes for height requirements



www.imperialproduction.com
 Imperial Productions & Distribution Inc. email: sales@imperialproduction.com
 1-800-399-7585, Fax 416-264-6098 copyright 2007 All Rights Reserved

see Page A1 for Terms & Conditions

Chapter III RAILINGS
Page 3-14 Spring-08

Arch-Polymer Balustrade System: White Primed, Insect & Rot Resistant



IPB7030-6

\$
 41-5/8" (105.73cm)
 Base 4-3/8" (11.13cm)
 6-9/16" (16.66cm) o/c
Top Rail: IPBR7400
 IPBR7100,7200,7500
Bottom Rail: IPBR7410
 IPBR7110,7120,7210



IPB7430-6

\$128
 41-3/8" (105.11cm)
 Base 4-3/8" (11.13cm)
 6-9/16" (16.66cm) o/c
Top Rail:
Bottom Rail:



IPB7448

\$73
 48" High (121.92cm)
 1-3/4" wide, 5-3/4" o/c
 4.45cm w, 14.61cm o/c
Top Rail: IPBR7600
 IPBR7500, IPBR7700
Bottom Rail: IPBR7610
 IPBR7620, 7510, 7710



IPBP4706 \$225

45-3/4" (116.21cm) high
 6" square
 Top Square
 8" (20.32cm)
 Shaft 6" (15.24cm)
 Bottom Square
 7-7/8" (20.02cm)
includes ball & bottom trim



Hardware Kits:

IPNPCK06 Concrete **\$32**
 IPNPWK06 wood **\$34**

6" (15.24cm)

IPBP4806 \$76

Newel Flat no panel
 48" (121.92cm) high
 6" (15.24cm) wide
 6" (15.24cm) deep

Hardware Kits:

IPNPCK06 concrete **\$32**
 IPNPWK06 wood **\$34**

Bottom Trim IPBT0608 \$14

Flat Top Cap with Bevel
 IPBPC6565F, IPBPC0808F
Pyramid Top Cap
 IPBPC6565, IPBPC0707
 IPBPC0808



7" (17.78cm)

IPBP4807

Newel Flat no panel
 48" (121.92cm) high
 7-1/4" (18.42cm) wide
 7-1/4" (18.42cm) deep

Hardware Kits:

IPNPCK07 concrete **\$32**
 IPNPWK07 wood **\$34**

Bottom Trim IPBT0709 \$20

Flat Top Cap with Bevel
 IPBPC0808F, IPBPC0909F
Pyramid Top Cap
 IPBPC0808, IPBPC0909



8" (20.32cm)

Recessed Panels
 48" (121.92cm) high
 8" (20.32cm) wide
 8" (20.32cm) deep

Hardware Kits:

IPNPCK08 concrete **\$32**
 IPNPWK08 wood **\$34**

Bottom Trim

IPBT0810 **\$24**

Flat Top Cap Bevel

IPBPC0909F
 IPBPC1010F
 IPBPC1414F

Pyramid Top Cap

IPBPC0909
 IPBPC1212



12" (30.48cm)

48" (121.92cm) high
 12" (30.8cm) wide
 12" (30.8cm) deep

Hardware Kits:

IPNPCK12 concrete **\$32**
 IPNPWK12 wood **\$34**

Bottom Trim

IPBT1214 **\$30**

Flat Top Cap Bevel

IPBPC1414F
 IPBPC1616F

Pyramid Top Cap

IPBPC1414

IPBP4812

\$281 Smooth

IPBP4812P

\$451 Mid 2 Panel

IPBP4812PC

\$451 2 Panel Corner

IPBP4808P

\$178

Mid 2 panels
 opposite sides

IPBP4808PC

\$178

Corner 2 panels
 on corner



Support Blocks (every 48" (122cm))

IPBSB326 \$15.37 2" (5.08cm) high, 3-1/8" (7.95cm) square

IPBSB346 \$18.91 4" (10.16cm) high, 6" (15.24cm) square

IPBSB366 \$20.75 5-3/4" (14.61cm) high, 6" (15.24cm) Sq

Arch-Polymer - double Primed ready-to-paint, Lite weight, will not crack
 Steel Reinforced, Interior & Exterior use, Optional interior Class-1A Fire rated

* All specifications subject to change without notice, Final Product may vary from this brochure, Refer to local building codes for height requirements

see Page A1 for Terms & Conditions



www.imperialproduction.com

Imperial Productions & Distribution Inc. email: sales@imperialproduction.com

1-800-399-7585, Fax 416-264-6098 copyright 2007 All Rights Reserved

Chapter III RAILINGS
Page 3-15 Spring-08

Arch-Polymer Balustrade System: White Primed, Insect & Rot Resistant



14"(35.56cm)
Recessed Panel
 44" (111.76cm) high
 14" (35.56cm) wide 14" (35.56cm) deep
Hardware Kits:
 IPNPCK14 concrete **\$32**
 IPNPWK14 wood **\$34**
Bottom Trim
 IPBT1416 **\$35**
Flat Top Cap Bevel
 IPBPC1616F
Pyramid Top Cap
 IPBPC1616
 IPBPC1717

IPBP4414P \$389 Mid 2 panels opposite sides
IPBP4414PC \$389 Corner 2 panels on corner



Pyramid Post Cap 1-1/2" (3.81cm) high
IBPC0505 \$12.87 5-3/16" (13.18cm) square
IBPC6565 \$12.87 6-1/2" (16.51cm) square
IBPC0707 \$12.87 7-7/8" (20.02cm) square
IBPC0808 \$16.55 8-3/8" (21.29cm) square
IBPC0909 \$19.31 9-1/4" (23.5cm) square
IBPC1212 \$22.99 12" (30.48cm) square
IBPC1414 \$26.67 14" (35.56cm) Sq, 1-7/8" (4.78cm) high
IBPC1616 \$30.34 16" (40.64cm) Sq, 2" (5.08cm) high
IBPC1717 \$35.41 17" (43.18cm) Sq, 2-1/2" (6.35cm) high
IBPC1820 \$35.41 18" (45.72cm) Sq, 2" (5.08cm) high
IBPC2222 \$56.56 22" (55.88cm) Sq, 2-1/2" (6.35cm) high

Bottom Trim	Inside	Outside
IPBT0608 \$14	6-1/8" (15.56cm)	8-1/8" (20.32cm)
IPBT0709 \$20	7-3/8" (18.73cm)	9-3/8" (23.81cm)
IPBT0810 \$23	8-1/8" (20.64cm)	10-1/8" (25.72cm)
IPBT1214 \$30	12-1/8" (30.48cm)	14-1/8" (35.56cm)
IPBT1416 \$35	14-1/8" (35.56cm)	16-1/8" (40.96cm)



Bottom Trim for Newel Posts



IPBA0405 \$26.21 Ball Diameter 4-1/8" (10.49cm)
 Base 3-1/2" (8.89cm) Height 5-3/8" (13.67cm) for IPBPC6565F
IPBA0507 \$38.14 Ball Diameter 5-1/4" (13.34cm)
 Base 4-1/2" (11.43cm) Height 6-3/4" (17.15cm) for IPBPC0808F
IPBA0508 \$60 Ball Diameter 5-1/4" (13.34cm)
 Base 4-1/2" (11.43cm) Height 7-1/2" (19.05cm) for IPBPC0808F
IPBA0610 \$64 Ball Diameter 6-1/16" (15.39cm)
 Base 5-1/4" (13.34cm) Height 9-3/4" (24.77cm) for IPBPC0909F
IPBA0711 \$80 Ball Diameter 7" (17.78cm)
 Base 5-11/16" (14.45cm) Height 11-1/2" (29.21cm) IPBPC1010F
IPBA1016 \$123 Ball Diameter 10" (25.4cm)
 Base 8-3/4" (22.23cm) Height 15-13/16" (40.16cm) IPBPC1414F
IPBA1219 \$145 Ball Diameter 12" (30.48cm)
 Base 9-1/4" (23.50cm) Height 18-13/16" (47.78cm) IPBPC1616F



IPBA06B \$60 Ball Diameter 6" (15.24cm)
 Plinth 7-7/8" (20.02cm), 8" (20.32cm) H for IPBP4806
IPBA07B \$86 Ball Diameter 7" (17.78cm)
 Plinth 9" (22.86cm), 9" (22.86cm) H for IPBP4807
IPBA08B \$60 Ball Diameter 8" (20.32cm)
 Plinth 10-3/16" (25.88cm), 10-5/16" (26.19cm) IPB4808



Bevel Edge Caps all 1-1/2" (3.81cm) high
IPBPC0808F \$17 8" (20.32cm) sq for IPBP4806
IPBPC0909F \$19.31 9" (22.86cm) sq for IPBP4807
IPBPC1010F \$21.61 10" (25.4cm) sq for IPBP4808
IPBPC1414F \$27.36 14" (35.56cm) sq for IPBP4812
IPBPC1616F \$28.22 16" (40.64cm) sq for IPBP4414
IPBPC6565F \$12.87 6-1/2" (16.51cm) for IPBP4806
IPBPC9595F \$17.47 9-1/2" (24.13cm) for IPBP4808



Pyramid Cap 3-15/16" (10cm) high
IPBPC0606T \$43.22
 Bottom 6-3/4" (17.145cm) Top 8-1/8" x 8-1/8" (20.64cm)
IPBPC0707T \$57 Bottom 7-7/8" (20cm)
 Top 9-1/4" x 9-1/4" (23.5cm), 4" (10.16cm) high
IPBPC0808T \$48
 Bottom 8-3/4" (22.23cm) Top 10-1/8" x 10-1/8" (25.72cm)
IPBPC1212T \$70
 Bottom 12-3/4" (32.39cm) Top 14-1/8" (35.88cm)
IPBPC1414T \$81
 Bottom 14-3/4" (37.47cm) Top 16-1/8" (40.96cm)



IPBC0707TRIM \$31
 6" (15.24cm) wide
 6" (15.24cm) deep
 3" (7.62cm) high

Arch-Polymer - double Primed ready-to-paint, Lite weight, will not crack
 Steel Reenforced, Interior & Exterior use, Optional interior Class-1A Fire rated

* All specifications subject to change without notice, Final Product may vary from this brochure, Refer to local building codes for height requirements



www.imperialproduction.com


Imperial Productions & Distribution Inc. email: sales@imperialproduction.com
 1-800-399-7585, Fax 416-264-6098 copyright 2007 All Rights Reserved

see Page A1 for Terms & Conditions

Chapter III RAILINGS
Page 3-16 Spring-08

Arch-Polymer Railings: PVC Reinforced, Primed, Insect & Rot Resistant


Top IPBR7100 Bottom IPBR7110



Straight Length	Top Rail	Bottom Rail
8 Feet (2.44 meter)	IPBR7100-08 \$235	IPBR7110-08 \$235
10 Feet (3.04 meter)	IPBR7100-10 \$298	IPBR7110-10 \$298
12 Feet (3.66 meter)	IPBR7100-12 \$400	IPBR7100-12 \$400

Radius Top Rails	Bottom Radius Rails	Circle	Center Line Radius	Rail Length	Inside Radius	Outside Radius
IPBR7100R60 \$784	IPBR7110R60 \$784	1/4"	60" (152.4cm)	105" (266.7cm)	54-1/8" (137.49cm)	65-7/8" (167.34cm)
IPBR7100R72 \$924	IPBR7110R72 \$924	1/4"	72" (182.88cm)	124-1/2" (316.23cm)	66-1/8" (167.97cm)	77-7/8" (197.82cm)
IPBR7100R96 \$576	IPBR7110R96 \$576	1/8"	96" (243.84cm)	82" (208.28cm)	90-1/8" (228.93cm)	101-7/8" (258.77cm)
IPBR7100R108 \$688	IPBR7110R108 \$688	1/8"	108" (274.32cm)	92" (233.68cm)	102-1/8" (259.41cm)	113-7/8" (289.26cm)
IPBR7100R120 \$750	IPBR7110R120 \$750	1/8"	120" (304.8cm)	98-7/8" (251.16cm)	114-1/8" (289.88cm)	125-7/8" (319.74cm)
IPBR7100R168 \$1027	IPBR7110R168 \$1027	1/8"	168" (426.72cm)	138-1/2" (351.79cm)	162-1/8" (411.81cm)	173-7/8" (441.66cm)


Top IPBR7400 Bottom IPBR7410



Straight Length	Top Rail	Bottom Rail
8 Feet (2.44 meter)	IPBR7400-08 \$183	IPBR7410-08 \$183
10 Feet (3.04 meter)	IPBR7400-10 \$235	IPBR7410-10 \$235
12 Feet (3.66 meter)	IPBR7400-12 \$274	IPBR7400-12 \$274

Radius Top Rails	Bottom Radius Rails	Circle	Center Line Radius	Rail Length	Inside Radius	Outside Radius
IPBR7400R60 \$569	IPBR7110R60 \$569	1/4"	60" (152.4cm)	102" (259.08cm)	56-1/2" (143.51cm)	63-1/2" (161.29cm)
IPBR7400R72 \$685	IPBR7110R72 \$685	1/4"	72" (182.88cm)	122" (309.88cm)	68-1/2" (173.99cm)	75-1/2" (191.77cm)
IPBR7400R96 \$450	IPBR7110R96 \$450	1/8"	96" (243.84cm)	80-1/8" (203.53cm)	92-1/2" (234.95cm)	99-1/2" (252.73cm)
IPBR7400R108 \$503	IPBR7110R108 \$503	1/8"	108" (274.32cm)	89-1/2" (227.33cm)	104-1/2" (265.43cm)	111-1/2" (283.21cm)
IPBR7400R120 \$558	IPBR7110R120 \$558	1/8"	120" (304.8cm)	99" (251.46cm)	116-1/2" (295.91cm)	123-1/2" (313.69cm)
IPBR7400R168 \$764	IPBR7110R168 \$764	1/8"	168" (426.72cm)	137" (347.98cm)	164-1/2" (417.83cm)	171-1/2" (435.61cm)

Top IPBR7500 Bottom IPBR7510



Straight Length	Top Rail	Bottom Rail
8 Feet (2.44 meter)	IPBR7500-08 \$180	IPBR7510-08 \$180
10 Feet (3.04 meter)	IPBR7500-10 \$210	IPBR7510-10 \$210
12 Feet (3.66 meter)	IPBR7500-12 \$269	IPBR7510-12 \$269

Radius Top Rails	Bottom Radius Rails	Circle	Center Line Radius	Rail Length	Inside Radius	Outside Radius
IPBR7500R60 \$509	IPBR7110R60 \$509	1/4"	60" (152.4cm)	101" (256.54cm)	57" (144.78cm)	63" (160.02cm)
IPBR7500R72 \$609	IPBR7110R72 \$609	1/4"	72" (182.88cm)	120" (304.8cm)	69" (175.26cm)	75" (190.5cm)
IPBR7500R96 \$403	IPBR7110R96 \$403	1/8"	96" (243.84cm)	80" (203.20cm)	93" (236.22cm)	99" (251.46cm)
IPBR7500R108 \$454	IPBR7110R108 \$454	1/8"	108" (274.32cm)	89-1/2" (227.33cm)	105" (266.7cm)	111" (281.94cm)
IPBR7500R120 \$498	IPBR7110R120 \$498	1/8"	120" (304.8cm)	99" (251.46cm)	117" (297.18cm)	123" (312.42cm)
IPBR7500R168 \$695	IPBR7110R168 \$695	1/8"	168" (426.72cm)	137" (347.98cm)	165" (419.1cm)	171" (434.34cm)

Arch-Polymer - double Primed ready-to-paint, Lite weight, will not crack
Steel Reinforced, Interior & Exterior use, Optional interior Class-1A Fire rated

* All specifications subject to change without notice, Final Product may vary from this brochure, Refer to local building codes for height requirements



www.imperialproduction.com

Imperial Productions & Distribution Inc. email: sales@imperialproduction.com

1-800-399-7585, Fax 416-264-6098 copyright 2007 All Rights Reserved

see Page A1 for Terms & Conditions

Chapter III RAILINGS
Page 3-17 Spring-08


Arch-Polymer Railings: PVC Pipe Reinforced, Primed, Insect & Rot Resistant



IPBR7600



IPBR7620



IPBR7610-12

Straight Length
12 Feet (3.66 meter)

Top Rail
IPBR7600-12 \$190

Bottom Rail
IPBR7610-12 \$175 IPBR7620-12 \$147 IPBR7620-14 \$205 (14 Ft (4.267cm))



IPBR7600-12D
Groove 2" (5.08cm)



IPBR7610-12D
Groove 2" (5.08cm)

Straight Length 12 Feet (3.66 meter)
Top Rail IPBR7600-12D \$190
Bottom Rail IPBR7610-12D \$147



IPBR7700



IPBR7710

Top Rail IPBR7700
8 Feet (2.44m) \$131
12 Feet (3.66m) \$196
Bottom Rail IPBR7710
8 Feet (2.44m) \$131
12 Feet (3.66m) \$196



IPBR7120-12






IPBR7200-10

Bottom Rail
IPBR7120 \$400 12 Feet (3.66m)
IPBR7210 \$281 10 Feet (2.54m)



IPBR7210

Flats IPBR7210
12 Feet (3.66m) \$193



Arch-Polymer - double Primed ready-to-paint, Lite weight, will not crack Steel Reinforced, Interior & Exterior use, Optional interior Class-1A Fire rated

* All specifications subject to change without notice, Final Product may vary from this brochure, Refer to local building codes for height requirements see Page A1 for Terms & Conditions



www.imperialproduction.com
Imperial Productions & Distribution Inc. email: sales@imperialproduction.com
1-800-399-7585, Fax 416-264-6098 copyright 2007 All Rights Reserved

Chapter III RAILINGS
Page 3-18 Spring-08