


# Imperial Productions® Mouldings Boiserie Collections IPBOS0800A Collection



# Available Materials ArchPolymer<sub>TM</sub>

Artifical Plaster, White Primed Rot, Insect, Water Resistant Interior & Exterior

GRG-NeoPlaster<sub>TM</sub>

Re-enforced Fiber Plaster Primed by others, Interior Use

GFRC-Zeament<sub>TM</sub>

Portland Cement Composite Interior / Exterior

#### Flexible ResinMold®

Arches, Straight Lengths
Concave & Convex Curves
Water, Rot, Insect Resistant
Flexible Synaptic Polymer
Memory keeps shape
Interior / Exteior, Paint or Stain



Width 15/16" (2.4cm) Projection 1/2" (1.27cm)





Maximum Spread Height 104-1/2" (265.4cm) Width 104-1/2" (265.4cm)

Ships World Wide

\* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



IP	Custom Request (Download & Fill-in) emailto sales@imperialproductions.com IPBOS0800A	
	emailto sales@imperialproductions.com	IPBOS0800A


Name	Date:
Contact:	
Phone #	
Email:	
Address	
	7ID/DC
MATERIAL SELECTION	
•	White Primed Ready to Paint (Interior/Exterior)
# of Feet for the feet	or Residential
# of FireRated Feet for	or Commercial
GRG-NeoPlasterTM A new age pla # of Feet	aster, Class A fire rated (Interior)
ResinMold® A Synaptic polymer for See Next Page	· Curves & Arches, Class A fire rated
VALUE ADDED FINISHES	
Factory Paint Color Code	Finish
Metal Coated: Type:	

<sup>\*</sup> Possible Limitations due to Quantity Requested and/or Application



## Profile: IPBOS0800A Flexible ResinMold®

#### 1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

D= Distance to Side from C \_\_\_\_\_ Number of Arches: \_\_\_\_

### 2) CIRCLE

Diameter A



or Circumference

# of Circles \_\_\_\_\_



#### 3) CURVED WALL Plan View Drawings

### 4) STRAIGHT LENGTHS

Convex Wall	
	A = Depth =

Total Feet (Meters) Required: \_\_\_\_\_

Length of Curve

Concave Wall	

A = Depth= \_\_\_\_

Length of Curve