


Imperial Productions® Mouldings Boiserie Collections IPBOS0801D Collection



Available Materials **ArchPolymer**_{TM}

Artifical Plaster, White Primed Rot, Insect, Water Resistant Interior & Exterior

GRG-NeoPlaster_{TM}

Re-enforced Fiber Plaster Primed by others, Interior Use

GFRC-Zeament_{TM}

Portland Cement Composite Interior / Exterior

Flexible ResinMold®

Arches, Straight Lengths Concave & Convex Curves Water, Rot, Insect Resistant Flexible Synaptic Polymer Memory keeps shape Interior / Exteior, Paint or Stain



Width 1-11/16" (4.3cm) Projection 5/8" (1.6cm)





Maximum Spread Height 110" (279.4cm) Width 110" (279.4cm)

Ships World Wide

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



$I_{\mathbf{P}}$	Custom Request (Download & Fill-in) emailto sales@imperialproductions.com IPBOS08011	
	emailto sales@imperialproductions.com	IPBOS0801D


Name	Date:	
Contact:		
Phone #		
Email:		ļ
Address		
	ZIP/PC	
MATERIAL SELECTION		
	er, White Primed Ready to Paint (Interior/Exterior)	
# of Feet	for Residential	
# of Feet # of FireRated Feet	for Commercial	
GRG-NeoPlasterTM A new age # of Feet		
ResinMold® A Synaptic polymer See Next Page	for Curves & Arches, Class A fire rated	
VALUE ADDED FINISHE	<u>S</u>	
Factory Paint Color Code_	Finish	
Metal Coated: Type:		

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPBOS0801D Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

D= Distance to Side from C _____ Number of Arches: ____

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

4) STRAIGHT LENGTHS

Convex Wall	
	A = Depth=

Total Feet (Meters) Required: _____

Length of Curve

Concave Wall	

A = Depth=____

Length of Curve