

IPNP4136 Length 94-1/4"




IPNP4366 Corner



10" x 10" 25.4 x 25.4cm

IPNP4363



10" x 10" 25.4 x 25.4cm

> Width 2-1/16" (5.3cm) Depth 3/4" (1.9cm)

Available Materials

ArchPolymer_{TM}

Artifical Plaster, White Primed Rot, Insect, Water Resistant Interior & Exterior Use GRG-NeoPlaster_{TM}

Re-enforced Fiber Plaster Primed by others

Interior Use only Flexible ResinMold®

Arches, Straight Lengths Concave & Convex Curves Water, Rot, Insect Resistant Flexible Synaptic Polymer Memory keeps shape **Exterior or Interior Applications** Paint or Stain

Ships World Wide

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure




Name	
Contact:	
Phone #	
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plast	er, White Primed Ready to Paint (Interior/Exterior)
# of Feet	for Residential
# of FireRated Feet	for Commercial Interior
GRG-NeoPlasterTM A new age # of Feet	
ResinMold® A Synaptic polymer See Next Page	for Curves & Arches, Class A fire rated
VALUE ADDED FINISHE	S
Factory Paint Color Code_	
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPNP4136 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

D= Distance to Side from C Number of Arches:

2) CIRCLE

Diameter A _____



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall	
	F

A = Depth =

|-----| Length of Curve

A = Depth= ____ Concave Wall

Length of Curve

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____