

Fiberglass

Shaft (A) 13-1/2" x 13-1/2" 34.29 x 34.29cm

C2 => =>

Capital Width & Depth (C1) 19-1/4" x 19-1/4" (48.89 x 48.89cm) Capital Height (C2) 4-3/4" (12cm)


Base Width & Depth (B1) 19-3/8" x 19-3/8" (49.2 x 49.2cm) Base Height (B2) 7-3/4" (19.68cm)


Weight 51 lb (23.1 kg) Load Bearing to 10,000 (4.53 metric tons) Load must be distributed evenly over the shaft

Minimum Inside 12" x 12" (30.48cm x 30.48cm)

Priming & Painting by others

Optional Split for Post Wrap





- * Assembly required, drawing not to scale, final measurements may vary due to manufacturing tolerences
- * For Load Bearing Application, consult with your structural engineer for suitability in your local area sold as unfinished building components integration hardware by others * All specifications subject to change without notice

B2 =>

Request for Quote IPTUSQ0814S Download and Auto Fill PDF

Name / Company	
Phone Email	
Billing Address	
City	State / Prov
ZIP / PCode	_
Ship to Address	
City	State / Prov
ZIP / PCode	-
Quantity Whole	
Split Post Wrap Split for Pilaster	
Split for Engaged Split	Wall Wrap
Split Outside Corner Split Inside Corner	
Note:	