



Tuscan Smooth Square IPTUSQ0906S-TCTB

Fiberglass

Shaft (A)

5-1/2" x 5-1/2"

13.97 x 13.97cm

Capital Width & Depth (C1)

8-3/8" x 8-3/8" (21.27 x 21.27cm)

Capital Height (C2) 2-3/4" (6.98cm)

Base Width & Depth (B1)

8-7/8" x 8-7/8" (22.5 x 22.5cm)

Base Height (B2) 3-3/8" (8.57cm)

Weight 29 lb (13.15 kg)



Load Bearing to 10,000 (4.53 metric tons)

Load must be distributed evenly over the shaft

Minimum Inside 3-1/2" x 3-1/2" (8.8 x 8.8cm)

Priming & Painting by others

Optional Split for Post Wrap



* Assembly required, drawing not to scale, final measurements may vary due to manufacturing tolerances

* For Load Bearing Application, consult with your structural engineer for suitability in your local area
sold as unfinished building components - integration hardware by others * All specifications subject to change without notice



Imperial Productions®

1-800-399-7585 +1-416-264-6096

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

AUG-25



Request for Quote IPTUSQ0906S

Download and Auto Fill PDF

Name / Company _____

Phone _____ Email _____

Billing Address _____

City _____ State / Prov _____

ZIP / PCode _____

Ship to Address _____

City _____ State / Prov _____

ZIP / PCode _____

Quantity Whole _____

Split Post Wrap _____ Split for Pilaster _____

Split for Engaged _____ Split Wall Wrap _____

Split Outside Corner _____ Split Inside Corner _____

Note: _____



Imperial Productions®

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com

1-800-399-7585 +1-416-264-6096

copyright 2016 MRDCI All Rights Reserved

AUG-25