



# Tuscan Smooth Square IPTUSQ1008S-TCTB

## Fiberglass

### Shaft (A)

7-1/2" x 7-1/2" (19 x 19cm)

### Capital Width & Depth (C1)

10-1/8" x 10-1/8" (25.7 x 25.7cm)

### Capital Height (C2)

2-7/8" (7.3cm)

### Base Width & Depth (B1)

10-3/8" x 10-3/8" (26.35 x 26.35cm)

### Base Height (B2)

4-1/4" (10.7cm)

Weight 36 lb (16.3 kg)



Load Bearing to 10,000 (4.53 metric tons)

Load must be distributed evenly over the shaft

Minimum Inside 6" x 6" (15.2 x 15.2cm)

Priming & Painting by others

Optional Split for Post Wrap



\* Assembly required, drawing not to scale, final measurements may vary due to manufacturing tolerances

\* For Load Bearing Application, consult with your structural engineer for suitability in your local area sold as unfinished building components - integration hardware by others \* All specifications subject to change without notice



Imperial Productions®

1-800-399-7585 +1-416-264-6096

Imperial Productions & Distribution Inc

APR-26

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved



# Custom Request (Download & Fill-in)

emailto sales@imperialproductions.com

IPTUSQ1008S-TCTB

Name \_\_\_\_\_

Contact: \_\_\_\_\_

Phone # \_\_\_\_\_

Email: \_\_\_\_\_

Address \_\_\_\_\_

ZIP/PC \_\_\_\_\_

## MATERIAL SELECTION

Fiberglass Whole

# of Units \_\_\_\_\_

Fiberglass Split for Post Wrap

# of Units \_\_\_\_\_

Fiberglass Split for Pilaster Application

# of Units \_\_\_\_\_



Imperial Productions®

1-800-399-7585 +1-416-264-6096

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved