

Projection: 3-11/16" (9.38cm)

Ships World Wide

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure




Name	
Contact:	
Phone #	
Email:	
Address	
	71D/D <i>C</i>
MATERIAL SELECTION	
Hardwood Pine / Maple / Red Oak / Ch Species # of Fe	erry / Alder / Mahogany Sold in Random Lengths eet
# of Feet fo	White Primed Ready to Paint (Interior/Exterior) or Residential
# of FireRated Feet for	or Commercial
GRG-NeoPlasterTM A new age plas # of Feet	ster, Class A fire rated (Interior)
ResinMold® A Synaptic polymer for G See Fill in Form Next Page	Curves & Arches, Class A fire rated
VALUE ADDED FINISHES Factory Paint Color Code	Finish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPCM005 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**








Please Provide Inside Crown Measurements

D= Distance to Side from C Number of Arches:

2) CIRCLE

Diameter A




or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings



A = Depth =

-----| Length of Curve

Concave Wall

Length of Curve

A = Depth= ____

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

5) ORIENTATION circle one

