




## Imperial Productions® Mouldings

### IPNP4008 Modern Crown

Height  
3-3/4"  
(9.5cm)



Projection 4-1/8"  
(10.5cm)

#### Available Materials

##### ArchPolymer™


Artificial Plaster, White Primed  
Rot, Insect, Water Resistant  
Interior & Exterior Use  
Optional Fire Rated

##### GRG-NeoPlaster™

Re-enforced Fiber Plaster  
Primed by others  
Interior Use only  
Class A Fire Rated

##### Flexible ResinMold®

Arches, Straight Lengths  
Concave & Convex Curves  
Water, Rot, Insect Resistant  
Flexible Synaptic Polymer  
Memory keeps shape  
Exterior or Interior Applications  
Paint or Stain Class A Fire Rated



**Ships World Wide**

\* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



**Imperial Productions®**  
Imperial Productions & Distribution Inc.  
email [sales@imperialproductions.com](mailto:sales@imperialproductions.com)



1-800-399-7585 +1-416-264-6096

copyright 2016 MRDCI All Rights Reserved

SEP-25

# Profile: IPNP4008 Flexible ResinMold®

## 1) ARCH - True 1/2 Circle & Eyebrow Elevation Drawing



Please Provide Inside Crown Measurements

Horizontal A = \_\_\_\_\_ Center Rise B = \_\_\_\_\_ Mid Rise C = \_\_\_\_\_


D= Distance to Side from C \_\_\_\_\_ Number of Arches: \_\_\_\_\_

## 2) CIRCLE

Diameter A \_\_\_\_\_

or Circumference \_\_\_\_\_

# of Circles \_\_\_\_\_




## 3) CURVED WALL Plan View Drawings




Convex Wall

A = Depth= \_\_\_\_\_




Length of Curve \_\_\_\_\_



Concave Wall

A = Depth= \_\_\_\_\_



Length of Curve \_\_\_\_\_

## 4) STRAIGHT LENGTHS

Total Feet (Meters)

Required: \_\_\_\_\_

## 5) ORIENTATION circle one

wall =>



<=wall



Imperial Productions®

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

1-800-399-7585 +1-416-264-6096

SEP-25



# Custom Request (Download & Fill-in)

emailto sales@imperialproductions.com

IPNP4008

Name \_\_\_\_\_

Contact: \_\_\_\_\_

Phone # \_\_\_\_\_

Email: \_\_\_\_\_

Address \_\_\_\_\_  
\_\_\_\_\_ ZIP/PC \_\_\_\_\_

## MATERIAL SELECTION

ArchPolymer™ A synthetic Plaster, White Primed Ready to Paint (Interior/Exterior)

# of Units \_\_\_\_\_ for Residential

# of FireRated Units \_\_\_\_\_ for Commercial

GRG-NeoPlaster™ A new age plaster, Class A fire rated (Interior)

# of Units \_\_\_\_\_

ResinMold® A Synaptic polymer for Curves & Arches, Class A fire rated

See Next Page

## VALUE ADDED FINISHES

Factory Paint Color Code \_\_\_\_\_ Finish \_\_\_\_\_

Metal Coated: Type: \_\_\_\_\_

\* Possible Limitations due to Quantity Requested and/or Application



Imperial Productions®

1-800-399-7585 +1-416-264-6096

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved