

AVAILABLE MATERIALS


ArchPolymer_{TM}

Interior & Exterior, Water Rot, Insect Resistant

Flexible ResinMold®

for Arches / Curves / Circles /Straight Lengths Interior & Exterior, Water, Rot, Insect Resistant

GRG Glass Fiber Reenforced Gypsum (Interior)



Ships World Wide

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure




Name	
Contact:	ImperialProductions®
Phone #	
Email:	
Address	
	71D/DC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Prime Each Length 94-1/4" # of Feet for Resident for Communication of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of FireRated Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications are supplied to the prime of Feet for Communications ar	lential
GRG-NeoPlasterTM A new age plaster, Class # of Feet	A fire rated (Interior)
ResinMold® A Synaptic polymer for Curves & Available 7 Feet Lengths	Arches, Class A fire rated
VALUE ADDED FINISHES Factory Paint Color Code	Finish
Metal Coated: Type:	

Profile: IPNP4010

Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**





Please Provide Inside Crown Measurements

Horizontal A = ____ Center Rise B = ____ Mid Rise C = ____

D= Distance to Side from C _____ Number of Arches: ____

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

Length of Curve

Length of Curve

Concave Wall


A = Depth= ____

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

5) ORIENTATION circle one





<=wall