


# Imperial Productions® Mouldings

# IPNP4018 Modern Crown

Projection: 3-1/2" (8.9cm)



Height 4-1/8" 10.5cm

Available Materials ArchPolymer<sub>TM</sub>


Artifical Plaster, White Primed Rot, Insect, Water Resistant Interior & Exterior Use Optional Fire Rated

GRG-NeoPlaster<sub>TM</sub>

Re-enforced Fiber Plaster Primed by others Interior Use only Class A Fire Rated

#### Flexible ResinMold®

Arches, Straight Lengths
Concave & Convex Curves
Water, Rot, Insect Resistant
Flexible Synaptic Polymer
Memory keeps shape
Exterior or Interior Applications
Paint or Stain Class A FireRated




### Ships World Wide


\* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



## Profile: IPNP4018 Flexible ResinMold<sub>IM</sub>

#### 1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**








Please Provide Inside Crown Measurements

Horizontal A = \_\_\_\_ Center Rise B = \_\_\_\_ Mid Rise C = \_\_\_\_

D= Distance to Side from C Number of Arches:

### 2) CIRCLE

Diameter A



or Circumference

A = Depth=\_\_\_\_

# of Circles \_\_\_\_\_



#### 3) CURVED WALL Plan View Drawings

Convex Wall	7 A = Douth=
	A = Depth =

Length of Curve


Concave Wall	

Length of Curve

### 4) STRAIGHT LENGTHS

Total Feet (Meters) Required: \_\_\_\_\_

## 5) ORIENTATION circle one





<=wall

Name	
Contact:	<del></del>
Phone #	
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Pri	med Ready to Paint (Interior/Exterior)
# of Units for Re	sidential
# of FireRated Units for Co	mmercial
GRG-NeoPlasterTM A new age plaster, Clas # of Units	ss A fire rated (Interior)
ResinMold® A Synaptic polymer for Curves & See Next Page	Arches, Class A fire rated
VALUE ADDED FINISHES	
Factory Paint Color Code	Finish
Metal Coated: Type:	

<sup>\*</sup> Possible Limitations due to Quantity Requested and/or Application

