


# Imperial Productions® Mouldings

# IPNP4024 Modern Crown

Projection 4-1/4" (10.8cm)

Height 4-1/4" 30.8cm

Diagonal 6" (15.3cm)



Available Materials ArchPolymer<sub>TM</sub>


Artifical Plaster, White Primed Rot, Insect, Water Resistant Interior & Exterior Use Optional Fire Rated

GRG-NeoPlaster<sub>TM</sub>

Re-enforced Fiber Plaster Primed by others Interior Use only Class A Fire Rated

#### Flexible ResinMold®

Arches, Straight Lengths
Concave & Convex Curves
Water, Rot, Insect Resistant
Flexible Synaptic Polymer
Memory keeps shape
Exterior or Interior Applications
Paint or Stain Class A FireRated




## Ships World Wide

\* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



# Profile: IPNP4024 Flexible ResinMold®

#### 1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**








Please Provide Inside Crown Measurements

D= Distance to Side from C Number of Arches:

## 2) CIRCLE

Diameter A



or Circumference

# of Circles \_\_\_\_\_



## 3) CURVED WALL Plan View Drawings

Convex Wall	 A = Depth=

Length of Curve


Concave Wall	

Length of Curve

### 4) STRAIGHT LENGTHS

Total Feet (Meters) Required: \_\_\_\_\_

## 5) ORIENTATION circle one





A = Depth= \_\_\_\_ |

Name	
Contact:	<del></del>
Phone #	
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaste	r, White Primed Ready to Paint (Interior/Exterior)
# of Units	
# of FireRated Units	for Commercial
GRG-NeoPlasterTM A new age p	plaster, Class A fire rated (Interior)
# of Units	
ResinMold® A Synaptic polymer for	or Curves & Arches, Class A fire rated
See Next Page	
VALUE ADDED FINISHES	<u>5</u>
Factory Paint Color Code	Finish
Metal Coated: Type:	

<sup>\*</sup> Possible Limitations due to Quantity Requested and/or Application

