


Imperial Productions® Mouldings

IPNP4050 Modern Crown

Height 3-9/16" (9cm)



Projection 3-3/8" (8.5cm)

Available Materials

ArchPolymer_{TM}

Artifical Plaster, White Primed Rot, Insect, Water Resistant Interior & Exterior Use Optional Fire Rated

GRG-NeoPlaster_{TM}

Re-enforced Fiber Plaster Primed by others Interior Use only Class A Fire Rated

Flexible ResinMold®

Arches, Straight Lengths
Concave & Convex Curves
Water, Rot, Insect Resistant
Flexible Synaptic Polymer
Memory keeps shape
Exterior or Interior Applications
Paint or Stain Class A FireRated

Imperial Productions®


Ships World Wide

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



Profile: IPNP4050 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

D= Distance to Side from C Number of Arches:

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall	
Convex wan	A = Depth =

Length of Curve

Concave Wall	 A = Depth=	

Length of Curve

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

5) ORIENTATION circle one



Name	
Contact:	
Phone #	
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaste	r, White Primed Ready to Paint (Interior/Exterior)
# of Units	
# of FireRated Units	for Commercial
GRG-NeoPlasterTM A new age p	plaster, Class A fire rated (Interior)
# of Units	
ResinMold® A Synaptic polymer for	or Curves & Arches, Class A fire rated
See Next Page	
VALUE ADDED FINISHES	<u>5</u>
Factory Paint Color Code	Finish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application

