

Depth: 2-13/16" (7.2cm)



Ships World Wide

^{*} All specifications subject to change without notice, Final products & Measurements may vary from this brochure


Name	
Contact:	ImperialProductions®
Phone #	
Email:	
Address	
	_ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Primed Ready t	
# of Units for Residential	
# of FireRated Units for Commercia	1
GRG-NeoPlasterTM A new age plaster, Class A fire rated # of Units	(Interior)
ResinMold® A Synaptic polymer for Curves & Arches, Cla See Next Page	ass A fire rated
VALUE ADDED FINISHES	
Factory Paint Color Code Fin	ish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPNP4292 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

D= Distance to Side from C Number of Arches:

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

-----| Length of Curve

Concave Wall

A = Depth= ____

5) ORIENTATION circle one

4) STRAIGHT LENGTHS

Total Feet (Meters)

Required: _____



Length of Curve