



Imperial Productions® Mouldings

Frieze: IPDD1018



Width  
16"  
40.6cm

Projection: 1-3/4" (4.4cm)

Lengths 6 Feet (1.82 meters)

Lengths 12 Feet (3.65 meters)

#### *Available Materials*

##### **ArchPolymer™**

an artificial wood primed white  
easy to install with the approved  
adhesive and a brad nailer. Finish  
joining edges with poly spackling  
compound.

Optional Class A fire rating available  
Exterior & Interior use

##### **GRG-NeoPlaster™**

Much stronger than tradiitonal plaster  
Class A fire rated product

Screw & glue into place


Priming by others Interior use

##### **FlexibleResinMold®**

A Flexible synaptic polymer for  
Interior & Exterior Use

Apply to Walls / Doors / Ceilings

Mirrored walls and stand alone mirrors



**Ships World Wide**

\* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



**Imperial Productions®**

1-800-399-7585

Imperial Productions & Distribution Inc.

email [sales@imperialproductions.com](mailto:sales@imperialproductions.com) copyright 2016 MRDCI All Rights Reserved

MAY-25



# Custom Request (Download & Fill-in)

emailto sales@imperialproductions.com

IPDD1018

Name \_\_\_\_\_ Date: \_\_\_\_\_

Contact: \_\_\_\_\_

Phone # \_\_\_\_\_

Email: \_\_\_\_\_

Address \_\_\_\_\_  
\_\_\_\_\_ ZIP/PC \_\_\_\_\_



## MATERIAL SELECTION

ArchPolymer™ A synthetic Plaster, White Primed Ready to Paint (Interior/Exterior)

# of Feet \_\_\_\_\_ for Residential

# of FireRated Feet \_\_\_\_\_ for Commercial Interior

GRG-NeoPlaster™ A new age plaster, Class A fire rated (Interior)

# of Feet \_\_\_\_\_

Flexible ResinMold® Vaults, Class A fire rated (Interior/Exterior) Restriction on Radius

# of Feet \_\_\_\_\_

GFRC-Zeament™ A Composite of Portland Cement, Class A fire rated (Interior)

# of Feet \_\_\_\_\_

## VALUE ADDED FINISHES

Factory Paint Color Code \_\_\_\_\_ Finish \_\_\_\_\_

Metal Coated: Type: \_\_\_\_\_

\* Possible Limitations due to Quantity Requested and/or Application



Imperial Productions®


1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

# Profile: IPDD1018 Flexible ResinMold®

## 1) ARCH - True 1/2 Circle & Eyebrow Elevation Drawing



Please Provide Inside Crown Measurements

Horizontal A = \_\_\_\_\_ Center Rise B = \_\_\_\_\_ Mid Rise C = \_\_\_\_\_


D= Distance to Side from C \_\_\_\_\_ Number of Arches: \_\_\_\_\_

## 2) CIRCLE

Diameter A \_\_\_\_\_

or Circumference \_\_\_\_\_

# of Circles \_\_\_\_\_




## 3) CURVED WALL Plan View Drawings




Convex Wall

-----  
A = Depth= \_\_\_\_\_  
-----




Length of Curve \_\_\_\_\_



Concave Wall

-----  
A = Depth= \_\_\_\_\_  
-----



Length of Curve \_\_\_\_\_

## 4) STRAIGHT LENGTHS

Total Feet (Meters)

Required: \_\_\_\_\_



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved