Imperial Productions® Mouldings
Frieze: IPX1000

Lengths Random 3 to 14 Feet
91.44cm to 4.267
Charge for Specified Lengths

AVAILABLE MATERIALS

Powdered Wood Overlay
- Applied to a Hardwood Base
- Interior use only
- Stains well - Not good for Clear Coating
- Not Carved

Flexible ResinMold®
- for Arches / Curves / Circles /Straight Lengths
- Interior & Exterior, Water, Rot, Insect Resistant

Width
3-3/4”
9.5cm

Projection: 5/8” (1.58cm)

Ships World Wide

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure

Imperial Productions® 1-800-399-7585 +1-416-264-6096
Imperial Productions & Distribution Inc
email sales@imperialproductions.com
copyright 2016 MRDCI All Rights Reserved

Profile: Flexible ResinMold® IPX1000

1) ARCH - True 1/2 Circle & Eyebrow

Elevation Drawing





Please Provide Inside Crown Measurements

Horizontal A = _____ Center Rise B = _____ Mid Rise C = _____

D= Distance to Side from C _____ Number of Arches: _____

---

2) CIRCLE



Diameter A _____

or Circumference _____

# of Circles _____

---

3) CURVED WALL Plan View Drawings

A = Depth= _____

|----------|

Length of Curve _____

A = Depth= _____

|----------|

Length of Curve _____

4) STRAIGHT LENGTHS

Total Feet (Meters)
Required: _____

Imperial Productions® 1-800-399-7585 +1-416-264-6096
Imperial Productions & Distribution Inc
email sales@imperialproductions.com

copyright 2016 MRDCI All Rights Reserved

JUL-26

Request for Quote
Download and Auto Fill PDF

Name / Company _____

Phone _____ Email _____

Billing Address _____

City _____ State / Prov _____

ZIP / PCode _____

Ship to Address _____

City _____ State / Prov _____

ZIP / PCode _____

Notes: _____

_____

_____

Imperial Productions® 1-800-399-7585 +1-416-264-6096
Imperial Productions & Distribution Inc.
email sales@imperialproductions.com
copyright 2016 MRDCI All Rights Reserved