



Imperial Productions® Mouldings

Frieze: IPX1006

Lengths Random 3 to 14 Feet

91.44cm to 4.267

Charge for Specified Lengths

AVAILABLE MATERIALS

Powdered Wood Overlay

Applied to a Hardwood Base

Interior use only

Stains well - Not good for Clear Coating

Not Carved

Flexible ResinMold®

for Arches / Curves / Circles / Straight Lengths

Interior & Exterior, Water, Rot, Insect Resistant



Width

5-1/2"

9.5cm

Projection: 13/16" (2cm)

Ships World Wide

* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



Imperial Productions®

1-800-399-7585 +1-416-264-6096


Imperial Productions & Distribution Inc

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

JUL-26

Profile: Flexible ResinMold® IPX1006

1) ARCH - True 1/2 Circle & Eyebrow Elevation Drawing



Please Provide Inside Crown Measurements

Horizontal A = _____ Center Rise B = _____ Mid Rise C = _____


D= Distance to Side from C _____ Number of Arches: _____

2) CIRCLE


Diameter A _____

or Circumference _____

of Circles _____




3) CURVED WALL Plan View Drawings




Convex Wall

A = Depth= _____




Length of Curve _____



Concave Wall

A = Depth= _____



Length of Curve _____

4) STRAIGHT LENGTHS

Total Feet (Meters)

Required: _____



Imperial Productions®

1-800-399-7585 +1-416-264-6096

Imperial Productions & Distribution Inc

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

JUL-26



Request for Quote IPX1006

Download and Auto Fill PDF

Name / Company _____

Phone _____ Email _____

Billing Address _____

City _____ State / Prov _____

ZIP / PCode _____

Ship to Address _____

City _____ State / Prov _____

ZIP / PCode _____

Notes: _____



Imperial Productions®

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com

1-800-399-7585 +1-416-264-6096

copyright 2016 MRDCI All Rights Reserved

JUL-26