

Length 6 Feet (1.828m) 12 Feet (365.76cm)

^{*} All specifications subject to change without notice, Final products & Measurements may vary from this brochure



^{*} assembly required, drawing not to scale

Custom Request (Download & Fill-in) emailto sales@imperialproductions.com IPJP4070


Name	Date:
Contact:	
Phone #	ImperialProductions®
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Primed Read	dy to Paint (Interior/Exterior)
# of Feet for Residentia	al entre
# of FireRated Feet for Commerci	al Interior
Lengths - Specify 6 Feet or 12 Feet	FT # of Lengths
GRG-NeoPlasterTM A new age plaster, Class A fire ra	ated (Interior)
Flexible ResinMold® Vaults, Class A fire rated (Intellet of Feet	erior/Exterior) Restriction on Radius
GFRC-ZeamentTM A Composite of Portland Cement, # of Feet	Class A fire rated (Interior)
VALUE ADDED FINISHES	
Factory Paint Color Code F	inish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPJP4070 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**







Please Provide Inside Crown Measurements

Horizontal A = ____ Center Rise B = ____ Mid Rise C = ____

D= Distance to Side from C _____ Number of Arches: ____

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

_____ Length of Curve

Concave Wall

A = Depth= _____

Length of Curve

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

Imperial Productions® 1-800-399-7585 +1-416-264-6096

Imperial Productions & Distribution Inc.