

Length 6 Feet (1.828m) 12 Feet (365.76cm)

^{*} All specifications subject to change without notice, Final products & Measurements may vary from this brochure



^{*} assembly required, drawing not to scale

Custom Request (Download & Fill-in) emailto sales@imperialproductions.com IPJP4071


Name	Date:
Contact:	
Phone #	ImperialProductions®
Email:	
Address	
	ZIP/PC
MATERIAL SELECTION	
ArchPolymerTM A synthetic Plaster, White Primed	Ready to Paint (Interior/Exterior)
# of Feet for Reside	ntial
# of FireRated Feet for Commo	ercial Interior
Lengths - Specify 6 Feet or 12 Feet	
GRG-NeoPlasterTM A new age plaster, Class A f # of Feet	ire rated (Interior)
Flexible ResinMold® Vaults, Class A fire rated # of Feet	(Interior/Exterior) Restriction on Radius
GFRC-ZeamentTM A Composite of Portland Cen# of Feet	nent, Class A fire rated (Interior)
VALUE ADDED FINISHES	
Factory Paint Color Code	_ Finish
Metal Coated: Type:	

^{*} Possible Limitations due to Quantity Requested and/or Application



Profile: IPJP4071 Flexible ResinMold®

1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**






Please Provide Inside Crown Measurements

D= Distance to Side from C _____ Number of Arches: ____

2) CIRCLE

Diameter A



or Circumference

of Circles _____



3) CURVED WALL Plan View Drawings

Convex Wall

A = Depth =

-----| Length of Curve

Concave Wall

A = Depth= _____

4) STRAIGHT LENGTHS

Total Feet (Meters) Required: _____

Length of Curve