



Imperial Productions® IPMED502

Dimensions

Diameter 24" (60.9cm)

Projection 2" (4cm)

Hole Size 3-3/4" (9.5cm)

Fits Canopy to 7-1/2"

Materials

ArchPolymer™


an artificial wood primed white easy to install with the approved adhesive and a brad nailer. Finish joining edges with poly spackling compound. Optional Class A fire rating available. Exterior & Interior use

GRG-NeoPlaster™

Much stronger than traditional plaster Class A fire rated. Screw & glue into place. Priming by others. Interior use.

Flexible ResinMold®

A Flexible synaptic polymer for vaulted or curved ceilings Interior & Exterior Use



Your Chandelier canopy sits on the medallion surface and does not go through the hole. Fits Canopy to 7-1/2" on the outer recess or 6" in the inner recess

* All prices & specifications subject to change without notice, Final products & Measurements may vary from this brochure



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved

JAN-26



Custom Request (Download & Fill-in)

emailto sales@imperialproductions.com

IPMED502

Name _____

Contact: _____

Phone # _____

Email: _____

Address _____

ZIP/PC _____



MATERIAL SELECTION

Hardwoods: Maple / Red Oak / Alder / Cherry Class B fire rated (Interior)

of Units _____ Wood Species _____

ArchPolymer™ A synthetic Plaster, White Primed Ready to Paint (Interior/Exterior)

of Units _____ for Residential

of FireRated Units _____ for Commercial

GRG-NeoPlaster™ A new age plaster, Class A fire rated (Interior)

of Units _____

ResinMold® A Synaptic polymer for Curves & Arches, Class A fire rated

See Next Page

VALUE ADDED FINISHES

Factory Paint Color Code _____ Finish _____

Metal Coated: Type: _____

* Possible Limitations due to Quantity Requested and/or Application



Imperial Productions®

1-800-399-7585

Imperial Productions & Distribution Inc.

email sales@imperialproductions.com copyright 2016 MRDCI All Rights Reserved