

## Imperial Productions® Mouldings Faux Bamboo

# IPBAM81 Straight / Arched / Curved






Flat 7-1/4" (18.4cm) Knuckle 5/8" (1.58cm) Length 7 Feet (2.13m)



Depth 3/8" (10cm)



Available Materials

\* Maple, Cherry, Red Oak
White Oak, Pine

ResinMold® for arches, curves striaght lengths

ResinMold®





\* All specifications subject to change without notice, Final products & Measurements may vary from this brochure



Imperial Productions® 1
Imperial Productions & Distribution Inc.

1-800-399-7585


16
ZIP/PC
, Cherry, Alder, AF-Mahogany
ymer for Curves & Arches, Class A fire rated
nt will fill in with thick paint

<sup>\*</sup> Possible Limitations due to Quantity Requested and/or Application



## Profile: IPBAM81 Flexible ResinMold®

#### 1) ARCH - True 1/2 Circle & Eyebrow **Elevation Drawing**








Please Provide Inside **Arch Measurements** 

D= Distance to Side from C \_\_\_\_\_ Number of Arches: \_\_\_\_\_

### 2) CIRCLE

Diameter A \_\_\_\_\_



or Circumference

# of Circles \_\_\_\_\_



## 3) CURVED WALL Plan View Drawings

Convex wall	A = Depth=
 Length of Curve	
Concave Wall	 A = Depth=
 Length of Curve	

## 4) STRAIGHT LENGTHS

Total Feet (Meters) Required: \_\_\_\_\_